

November 6, 2025

Corporate Relations Department BSE Limited

Phiroze Jeejeebhoy Towers, Dalal Street, Mumbai - 400 001

Scrip Code: 541300 | 728810 | 974904 | 729550 |

977222 | 977223

The Listing Department,
National Stock Exchange of India Limited

Exchange Plaza, C-1, Block G, Bandra Kurla Complex, Bandra (E), Mumbai – 400 051

Trading Symbol: INTERISE

Dear Sir/Madam,

## Sub: Intimation for Board Meeting scheduled on November 12, 2025.

Dear Sir/Madam,

We hereby inform you that, in compliance with the provisions of Regulation 23(6) of SEBI (Infrastructure Investment Trusts) Regulations, 2014 read with circulars and guidelines issued thereunder from time to time and pursuant to Regulation 50(1)(c) of SEBI (Listing Obligations and Disclosure Requirements) Regulations, 2015, the meeting of Board of Directors of Interise Investment Managers Private Limited, acting in its capacity as Investment Manager ('IM') of Interise Trust ('Trust') is scheduled on Wednesday, November 12, 2025, to consider and approve, inter-alia, the following:

- i) Unaudited Financial results (Consolidated & Standalone) of Trust for the quarter and half year ended September 30, 2025, and
- ii) Declaration of distribution, if any considered, by the Board of IM, to unitholders of the Trust.

The record date for the aforesaid distribution, if approved and declared by the IM at the aforesaid meeting, will be Saturday, November 15, 2025, in accordance with the Regulation 18(6)(c) of SEBI (Infrastructure Investment Trust) Regulations, 2014.

You are requested to take the above on your record.

Thank you.
Yours Truly,
For Interise Trust
Through its Investment Manager,
Interise Investment Managers Private Limited

Amit Shah Chief Compliance Officer & Vice President – Company Secretary

CC:

Trustee to Interise

IDBI Trusteeship Services Limited

Address: 10th Floor, 1009, Ansal Bhawan,

KG Marg, New Delhi – 110001

Debenture Trustee

Axis Trustee Services Limited

Address: The Ruby, 2nd Floor, SW, 29 Senapati
Bapat Marg, Dadar west, Mumbai - 400 028